



ELECTRICAL SPECIFICATION

PARAMETER	VALUE	UNIT
Center Frequency	870	MHz
Bandwidth, typ	30.0	MHz
Azimuth Beamwidth	Omni-directional	-
Peak Gain, typ	1.67	dBi
Return Loss, min	10	dB
Impedance	50	Ω
Polarization	Linear	-
Power, max	1	W
Operating Temperature Range	-40 ~ +85	$^{\circ}\text{C}$


MECHANICAL SPECIFICATION




Top View



Side View



Bottom View




Unit: mm


	L	W	T
Dimension (mm)	12.20 ± 0.20	4.00 ± 0.20	1.60 ± 0.20

	S1	S2
Connection	Feeding	Soldering


RECOMMENDED SOLDERING PATTERN



EVALUATION BOARD



FREQUENCY CHARACTERISTICS




Marker data

1.856MHz,-10dB

2.870MHz,-34dB

3.914MHz,-10dB

RADIATION PATTERN



Max gain= 1.67dBi, at (90, 150)
MEG (mean effective gain)= -2.69dBi
Directivity(dB)= 3.87
Efficiency= -2.20dB, 60.30%

■ APPROVAL



RALTRON	
DRAWN BY:	AR, May 20, 2019
APPROVED BY:	CP, May 20, 2019
REVISION:	A, Initial Release

Raltron Electronics / RAMI Technology USA, LLC, including its affiliates, employees, agents and other persons acting on its behalf (collectively Raltron/RAMI Tech), disclaim any and all liability for any errors or inaccuracies contained in this data sheet. While Raltron/RAMI Tech has made every reasonable effort ensure the accuracy of all product information, specifications and data contained herein, Raltron/RAMI Tech does not guarantee that the information is accurate, reliable or current. The product information is provided only for reference purposes only and is subject to change, correction or revision, at any time without notice. Raltron/RAMI Tech does not assume any liability arising out of an application or use of any product described herein and disclaims any warranties expressed or implied. The user of products in such applications shall assume all risks of such use and will agree to hold Raltron/RAMI Tech, harmless against all damages.

Copyright © 2016, Raltron Electronics / RAMI Technology USA, LLC. All rights reserved. No part of this document may be reproduced in any form without the prior written permission of Raltron Electronics / RAMI Technology USA, LLC