


Page 1 of 4


RPCF-W1B1-7910-O-W-004

ELECTRICAL SPECIFICATION

| F | PARAMETERS | VALUE | UNIT |
|-----------------------------|------------|------------------|------|
| Frequency Range | | 863 ~ 928 | MHz |
| Returns Loss, max | | -10 | dB |
| VSWR, max | | 2 | - |
| Gain | | 1.77 | dBi |
| Impedance | | 50 | Ω |
| Radiation Pattern | | Omni-Directional | - |
| Polarization | | Linear | - |
| Operating Temperature Range | | -40 ~ +85 | °C |
| Cable | Coaxial | Ø1.13 | mm |
| | Color | Gray | - |
| Antenna Material | | FPC | - |
| | | 0.5 | oz |
| Connector | | IPEX Compatible | - |
| Double Tape | | 3M467 | - |

DIMENSIONS






lage 2 of 4


RPCF-W1B1-7910-O-W-004

FREQUENCY CHARACTERISTICS


Returns Loss



EFFICIENCY & PEAK GAIN







Maximum Peak Gain at 915 MHz: 1.77 dBi


Page 3 of 4

RPCF-W1B1-7910-O-W-004

RADIATION PATTERN


X-Z Plane Phi=0.00deg

Gain . dB



Y-Z Plane Phi= 90.00deg

Gain . dB






Page 4 of 4

RPCF-W1B1-7910-O-W-004

X-Y Plane Theta= 90.00deg

Gain . dB



| | ZX plane | | ZY plane | | XY plane | |
|--------------------|-------------------|-----------------|-------------------|-----------------|-------------------|-----------------|
| Frequency [MHz] | Max Value [dB] | Average [dB] | Max Value [dB] | Average [dB] | Max Value [dB] | Average [dB] |
| 868 | 0.87 | -2.86 | 0.66 | -2.50 | 0.52 | -0.91 |
| 915 | 0.65 | -2.72 | 0.48 | -2.46 | 0.82 | -0.54 |

APPROVAL

| RALTRON | | | | |
|--------------|--------------------|--|--|--|
| DRAWN BY: | AR, July 01, 2019 | | | |
| APPROVED BY: | CP, July 01, 2019 | | | |
| REVISION: | A. Initial Release | | | |

Raltron Electronics / RAMI Technology USA, LLC, including its affiliates, employees, agents and other persons acting on its behalf (collectively Raltron/RAMI Tech), disclaim any and all liability for any errors or inaccuracies contained in this data sheet. While Raltron/RAMI Tech has made every reasonable effort ensure the accuracy of all product information, specifications and data contained herein, Raltron/RAMI Tech does not guarantee that the information is accurate, reliable or current. The product information is provided only for reference purposes only and is subject to change, correction or revision, at any time without notice. Raltron/RAMI Tech does not assume any liability arising out of an application or use of any product described herein and disclaims any warranties expressed or implied. The user of products in such applications shall assume all risks of such use and will agree to hold Raltron/RAMI Tech, harmless against all damages.

Copyright © 2016, Ralltron Electronics / RAMI Technology USA, LLC. All rights reserved. No part of this document may be reproduced in any form without the prior written permission of Ralltron Electronics / RAMI Technology USA, LLC.