



# Material Composition Declaration

© Copyright 2005. IPC, Bannockburn, Illinois. All rights reserved under both international and Pan-American copyright conventions.

This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with lower level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.

Adobe Reader version 7.0.5 is required to complete this declaration.

1752-2 1.1	IPC Web Site for Information on IPC-1752 Standard <a href="http://www.ipc.org/IPC-175x">http://www.ipc.org/IPC-175x</a>	Form Type * Distribute	Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materials and Mfg Informat
------------	--	---------------------------	--

## Supplier Information

Company Name * RAMI TECHNOLOGY USA LLC	Company Unique ID	Unique ID Authority	Response Date * 2020-11-13	Response Document ID				
Contact Name * YG Jiao	Title - Contact	Phone - Contact * 0755-21537133	Email - Contact * yg.jiao@raltron.com	Duplicate Contact -> Authorized Representative				
Authorized Representative * John Ivens	Title - Representative	Phone - Representative * 305-593-6033	Email - Representative * john.iven@raltron.com	Supplier Comments or URL for Additional Information				
Requester Item Number	Mfr Item Number	Mfr Item Name	Effective Date	Version	Manufacturing Site	Weight * 14.25841	UOM mg	Unit Type Each
Alternate Recommendation	CL2520 product family	CL2520 product family	2020-11-13		Alternate Item Comments			

## Manufacturing Process Information

Terminal Plating / Grid Array Material Gold (Au)	Terminal Base Alloy Alloy 42	J-STD-020 MSL Rating 1	Peak Process Body Temperature 260 C	Max Time at Peak Temperature 10 seconds	Number of Reflow Cycles 2
---	---------------------------------	---------------------------	--	--	------------------------------

Comments

Save the fields in this form to a file

Export Data

Import fields from a file into this form

Import Data

Clear all of the fields on this form

Reset Form

Lock the fields on this form to prevent changes

Lock Supplier Fields

### RoHS Material Composition Declaration

Declaration Type \*

Detailed

RoHS Directive 2002/95/EC

RoHS Definition: Quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE) and quantity limit of 0.01% by mass (100 PPM) of homogeneous material for Cadmium

Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2002/95/EC and implemented by the laws of the European Union member states) of the part identified on this form contains lead, mercury, cadmium, hexavalent chromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a "RoHS restricted substance") in excess of the applicable quantity limit identified above. If a homogeneous material within the part contains a RoHS restricted substance in excess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall encompass all such components. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledge and belief, as of the date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive. Company acknowledges that Supplier may have relied on information provided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier has not independently verified information provided by others, Supplier agrees that, at a minimum, its suppliers have provided certifications regarding their contributions to the part, and those certifications are at least as comprehensive as the certification in this paragraph. If the Company and the Supplier enter into a written agreement with respect to the identified part, the terms and conditions of that agreement, including any warranty rights and/or remedies provided as part of that agreement, will be the sole and exclusive source of the Supplier's liability and the Company's remedies for issues that arise regarding information the Supplier provides in this form. In the absence of such written agreement, the warranty rights and/or remedies of Supplier's Standard Terms and Conditions of Sale applicable to such part shall apply.

RoHS Declaration \*

1 - Item(s) does not contain RoHS restricted substances per the definition above

Supplier Acceptance \*

Accepted

Exemptions: If the declared item does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the corresponding response in the RoHS Declaration above and choose all applicable exemptions.

### Declaration Signature

Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.

Supplier Digital Signature

YG Jiao

数字签名: YG Jiao  
DN : cn=YG Jiao, o=RAMI TECHNOLOGY USA LLC, ou=QA,  
email=ygjiao@ramitechnology.com, c=CN  
日期 : 2014.04.08 10:48:35 +08'00'

## Homogeneous Material Composition Declaration for Electronic Products

**SubItem Instructions:** The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

**Substance Instructions:** [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

**Line Functions:** +I Inserts a New Item /SubItem +M Inserts a new Material +C Inserts a new Substance Category +S Inserts a new Substance - Deletes the element line

		Item/SubItem Name	Homogeneous Material		Weight	Unit of Measure	Level		Substance Category			Substance	CAS	Exempt	Weight	Unit of Measure	Tolerance		PPM
+I	-I		+M	-M			+C	-C		+S	-S						-	+	
		CL2520			10.836	mg			Supplier			Al2O3	1344-28-1		5.8105	mg			
												SiO2	7631-86-9		0.3874	mg			
												Cr2O3	1308-38-9		0.1291	mg			
												Mo	7439-98-7		0.1291	mg			
									Supplier			W	7440-33-7		1.7522	mg			
									Supplier			Fe	7439-89-6		1.0768	mg			
												Co	7440-48-4		0.3657	mg			
									Supplier			Ag	7440-22-4		0.3847	mg			
												Cu	7440-50-8		0.1571	mg			
									Supplier			Au	7440-57-5		0.0271	mg			
									B			Nickel	7440-02-0		0.6163	mg			
		LID			2.1076	mg			Supplier			Fe	7439-89-6		1.10649	mg			
												Co	7440-48-4		0.36883	mg			
									B			Nickel	7440-02-0		0.63228	mg			
		Blank			0.57472	mg			Supplier			SiO2	14808-60-7		0.57455	mg			
												Al2O3	1344-28-1		0.00008	mg			
												Fe2O3	1309-37-1		0.00009	mg			
		Electrode			0.00591	mg			Supplier			Ag	7440-22-4		0.00591	mg			
		Adhesive			0.00016	mg			Supplier			Ag	7440-22-4		0.00016	mg			
												Silicone Resin	7631-86-9		0.00002	mg			
												C12H26	112-40-3		0.00004	mg			
												C11H22O4Si	3388-04-3		0.00004	mg			
		IC			0.73402	mg			Supplier			Si	7440-21-3		0.2606	mg			

+S	-S	Al	7429-90-5		0.0012	mg			
+S	-S	Cu	7440-50-8		0.00002	mg			
+S	-S	Ti	7440-32-6		0.0004	mg			

+C	-C	Supplier	D/B adhesive	+S	-S	Epoxy resin	25068-38-6		0.2684	mg			
				+S	-S	N-Butoxy glycidyl eth	2426-08-6		0.0185	mg			
				+S	-S	3,4-dichlorophenyl	330-54-1		0.037	mg			
				+S	-S	Aluminim Hydroxide	21645-51-2		0.1388	mg			
+C	-C	Supplier	Au wire	+S	-S	Au	7440-57-5		0.0091	mg			