


#### ELECTRICAL SPECIFICATION

PARAMETERS		VALUE	UNIT
Frequency Range		2400 ~ 2500      5150 ~ 5850	MHz
Return Loss, max		-10	dB
VSWR, max		2	-
Peak Gain	@ 2400 ~ 2500 MHz	2.64	dBi
	@ 5150 ~ 5850 MHz	4.48	dBi
Impedance		50	$\Omega$
Polarization		Linear Vertical	-
Radiation Pattern		Directional	-
Antenna Material		SUS430	-
	T	0.4	mm


#### DIMENSIONS



Unit : mm


#### FREQUENCY CHARACTERISTICS


##### Return Loss




#### ANTENNA PEAK GAIN

@2G  
f(c)@2450MHz








Maximum Efficiency : 73.9 %



Maximum Peak Gain : 2.64 dBi

@5G  
f(c)@5500MHz






#### RADIATION PATTERN


2400~2500 MHz

Phi=0.00deg


Gain . dB



Phi=90.00deg



Theta=90.00deg




	ZX plane		ZY plane		XY plane	
Frequency [MHz]	Max Value [dB]	Average [dB]	Max Value [dB]	Average [dB]	Max Value [dB]	Average [dB]
2400	2.10 dB	-1.03 dB	-0.65 dB	-4.11 dB	1.58 dB	-1.92 dB
2450	2.10 dB	-0.80 dB	-0.26 dB	-3.81 dB	1.53 dB	-1.99 dB
2500	2.26 dB	-0.87 dB	0.48 dB	-3.58 dB	1.88 dB	-1.78 dB

5150~5850 MHz


Phi=0.00deg

Gain . dB




Phi=90.00deg

Gain . dB



Theta=90.00deg

Gain . dB



Frequency [MHz]	ZX plane		ZY plane		XY plane	
	Max Value [dB]	Average [dB]	Max Value [dB]	Average [dB]	Max Value [dB]	Average [dB]
5150	1.77 dB	-2.56 dB	1.48 dB	-1.80 dB	-0.48 dB	-1.95 dB
5500	3.19 dB	-1.51 dB	2.14 dB	-1.22 dB	1.64 dB	-1.43 dB
5850	4.45 dB	-0.66 dB	3.05 dB	-0.66 dB	2.09 dB	-1.41 dB

#### ENVIRONMENTAL

PARAMETER	VALUE
RoHS	Compliant
REACH SVHC	Compliant
HALOGEN-FREE	Compliant



#### APPROVAL

RALTRON	
DRAWN BY:	AR, March 30, 2022
APPROVED BY:	CP, March 30, 2022
REVISION:	A, Initial Release

Raltron Electronics / RAMI Technology USA, LLC, including its affiliates, employees, agents and other persons acting on its behalf (collectively Raltron/RAMI Tech), disclaim any and all liability for any errors or inaccuracies contained in this data sheet. While Raltron/RAMI Tech has made every reasonable effort ensure the accuracy of all product information, specifications and data contained herein, Raltron/RAMI Tech does not guarantee that the information is accurate, reliable or current. The product information is provided only for reference purposes only and is subject to change, correction or revision, at any time without notice. Raltron/RAMI Tech does not assume any liability arising out of an application or use of any product described herein and disclaims any warranties expressed or implied. The user of products in such applications shall assume all risks of such use and will agree to hold Raltron/RAMI Tech, harmless against all damages.

Copyright © 2016, Raltron Electronics / RAMI Technology USA, LLC. All rights reserved. No part of this document may be reproduced in any form without the prior written permission of Raltron Electronics / RAMI Technology USA, LLC