


RF SAW FILTER RSF-345.000-800-3838-TR-NS1

page 1 of 2

Items		Specification	Unit
Center frequency (Fc)		345.00	MHz
Bandwidth		800	kHz
Insertion Loss in BW, max		4.0	dB
Ripple in BW, max		1.5	dB
Relative Attenuation, min	10 MHz ~ 320 MHz	48	dB
	320 MHz ~ 325 MHz	40	dB
	325 MHz ~ 337 MHz	32	dB
	351 MHz ~ 358 MHz	13	dB
	358 MHz ~ 370 MHz	35	dB
	370 MHz ~ 700 MHz	45	dB
	700 MHz ~ 1000 MHz	40	dB
In/Out Impedance		50	Ω
DC Voltage		10	V
RF Power		0	dBm
Operating Temperature Range		-40 to +85	°C
Storage Temperature Range		-40 to +90	°C

Dimension






RF SAW FILTER RSF-345.000-800-3838-TR-NS1

page 2 of 2

Typical Frequency Response



Environmental

PARAMETER	VALUE
MOISTURE SENSITIVITY LEVEL	1
TERMINATION FINISH	Au
REACH – SVHC	Compliant
RoHS	Compliant
PACKAGING	TAPE & REEL

APPROVAL

DRAWN BY	CP, February 17, 2016
APPROVED BY	CP, February 17, 2016
REVISION	A, Initial Release
	B, CP April 07, 2016 Corrected the dimensions

Raltron Electronics / RAMI Technology USA, LLC, including its affiliates, employees, agents and other persons acting on its behalf (collectively Raltron/RAMI Tech), disclaim any and all liability for any errors or inaccuracies contained in this data sheet. While Raltron/RAMI Tech has made every reasonable effort ensure the accuracy of all product information, specifications and data contained herein, Raltron/RAMI Tech does not guarantee that the information is accurate, reliable or current. The product information is provided only for reference purposes only and is subject to change, correction or revision, at any time without notice. Raltron/RAMI Tech does not assume any liability arising out of an application or use of any product described herein and disclaims any warranties expressed or implied. The user of products in such applications shall assume all risks of such use and will agree to hold Raltron/RAMI Tech, harmless against all damages.

Copyright © 2016, Raltron Electronics / RAMI Technology USA, LLC. All rights reserved. No part of this document may be reproduced in any form without the prior written permission of Raltron Electronics / RAMI Technology USA, LLC.