



Parameters		Specification	Unit
Center frequency(Fo)		942.500	MHz
Bandwidth (Bw)		35000	kHz
Insertion loss in Bw, typ/max		2.5 / 3.5	dB
Amplitude Ripple in Bw, typ/max		1.5 / 2.0	dB
Attenuation min/typ	800 MHz ~ 900 MHz	-40 / -45	dB
	980 MHz ~ 1050 MHz	-40 / -45	dB
In/Out Impedance		50	Ω
DC Voltage, max		10	V
AC Voltage V _{PP} , 50/60Hz		10	V
Operating Temperature Range		-40 to +85	°C
Storage Temperature Range		-40 to +85	°C


Dimension



Test Circuit




Frequency Characteristics



Environmental

PARAMETER	VALUE
MOISTURE SENSITIVITY LEVEL	1
REACH – SVHC	Compliant
RoHS	Compliant
PACKAGING	TAPE & REEL

Tape Dimension



APPROVAL

DRAWN BY	LP, March 18, 2016
APPROVED BY	CP, March 18, 2016
REVISION	A, Initial Release
	B, AR, February 23, 2022 Updated the Current Revision Levels



Raltron Electronics/RAMI Technology USA, LLC, including its affiliates, employees, agents and other persons acting on its behalf (collectively Raltron/RAMI Tech), disclaim any and all liability for any errors or inaccuracies contained in this data sheet. While Raltron/RAMI Tech has made every reasonable effort to ensure the accuracy of all product information, specifications and data contained herein, Raltron/RAMI Tech does not guarantee that the information is accurate, reliable or current. The product information is provided for reference purposes only and is subject to change, correction or revision, at any time without notice. Raltron/RAMI Tech does not assume any liability arising out of an application or use of any product described herein and disclaims any warranties expressed or implied. The user of products in such applications shall assume all risks of such use and will agree to hold Raltron/RAMI Tech, harmless against all damages.

Copyright © 2016, Raltron Electronics / RAMI Technology USA, LLC. All rights reserved. No part of this document may be reproduced in any form without the prior written permission of Raltron Electronics / RAMI Technology USA, LLC.