



Electrical Specifications

Parameters		Value	Unit
Center Frequency (Fo)		2335.000	MHz
Insertion Loss, typ/max	@ 2300.000 ~ 2370.000 MHz	2.7 / 3.2	dB
Passband Ripple, typ/max	@ 2300.000 ~ 2370.000 MHz	0.8 / 1.7	dB
VSWR, typ/max	@ 2300.000 ~ 2370.000 MHz	1.6 / 2.2	dB
Attenuation, min/typ	@ 1675.000 ~ 2145.000 MHz	-26 / -29	dB
	@ 2145.000 ~ 2230.000 MHz	-25 / -31	dB
	@ 2435.000 ~ 2735.000 MHz	-25 / -33	dB
	@ 4535.000 ~ 5535.000 MHz	-22 / -25	dB
Impedance		50	Ω
Working Power, max		15	dBm
Operation Temperature Range		-40~ +125	$^{\circ}\text{C}$
Storage Temperature Range		-40 ~ +125	$^{\circ}\text{C}$


Dimension




Frequency Characteristics



Test Circuit



Tape Dimension



Environmental

PARAMETER	VALUE
MOISTURE SENSITIVITY LEVEL	1
REACH – SVHC	Compliant
RoHS	Compliant

● **NOTICE**

This product is rated for an industrial application. If you intend to use our product referenced above for applications that may result in loss of life or assets, i.e., controls relating to safety, automotive, aeronautical equipment, space equipment or medical equipment, etc. please do not fail to advise us of your intention beforehand. The use of the listed part in those applications is not covered by warranty, and we will not be held accountable for any liability claims. We reserve the right to not supply parts in those circumstances.

● **APPROVAL**

DRAWN BY	AR, September 15, 2023
APPROVED BY	CP, September 15, 2023
REVISION	A, Initial Release



Raltron Electronics / RAMI Technology USA, LLC, including its affiliates, employees, agents and other persons acting on its behalf (collectively Raltron/RAMI Tech), disclaim any and all liability for any errors or inaccuracies contained in this data sheet. While Raltron/RAMI Tech has made every reasonable effort ensure the accuracy of all product information, specifications and data contained herein, Raltron/RAMI Tech does not guarantee that the information is accurate, reliable or current. The product information is provided only for reference purposes only and is subject to change, correction or revision, at any time without notice. Raltron/RAMI Tech does not assume any liability arising out of an application or use of any product described herein and disclaims any warranties expressed or implied. The user of products in such applications shall assume all risks of such use and will agree to hold Raltron/RAMI Tech, harmless against all damages.

Copyright © 2016, Raltron Electronics / RAMI Technology USA, LLC. All rights reserved. No part of this document may be reproduced in any form without the prior written permission of Raltron Electronics / RAMI Technology USA, LLC.