


General Description

18mm x 18mm Speaker




IP67



ELECTRICAL SPECIFICATIONS

Parameters		Value	Unit
Resonant Frequency (Fo)	@ 2.0V	950 ±20%	Hz
Frquency Range	@ Output S.P.L. -10dB	Fo ~ 20K	Hz
Rated Input Power		1.0	W
Input Power, max		1.5	W
Distortion	@ 2kHz, input 1.0W,	< 10%	-
Dimension		18 x 18 ±0.2	mm
Height		5.9 ±0.3	mm
Sound Pressure Level S.P.L.	@ 1.0kHz in 1.0W/0.1M average (0dB SPL=20µPa)	96±3	dB
Impedance		4 ±15%	Ω
Operating Temperature Range		-40 ~ +85	°C
Storage Temperature Range		-40 ~ +85	°C
Magnet	SMCO	9.4 x 1.6	mm
Polarity		Cone will move forward with positive dc current to "+" terminal	
Reliability	Buzz & Rattle @Must be normal at sine wave between Fo ~ 5kHz	1.4	V

Dimensions



Units: mm


Tolerance: ± 0.5 mm

CONSTRUCTION DETAIL

NO.	PART NAME	Q'TY	MATERIAL
1	CAP	1	LCP
2	Diaphragm	1	PI
3	VOICE COIL	1	Cu
4	Plate	1	SPCC
5	Magnet	1	SMCO
6	PCB Terminal	1	Cu
7	Frame	1	LCP
8	LEADS	1	PLATE WITH SN


Frequency Characteristics

Test condition: 1.0W/0.1M,





Total Harmonic Distortion Curve

Test condition: 0.1W/0.1M



Measuring Method



Block Diagram for Measurement Method

L=10cm

Speaker Test Condition

APPROVAL

DRAWN BY	AR, February 19 2024
APPROVED BY	CP, February 19, 2024
REVISION	A, Initial Release
	B, AR, August 12, 2024 Updated the picture



Raltron Electronics / RAMI Technology USA, LLC, including its affiliates, employees, agents and other persons acting on its behalf (collectively Raltron/RAMI Tech), disclaim any and all liability for any errors or inaccuracies contained in this data sheet. While Raltron/RAMI Tech has made every reasonable effort ensure the accuracy of all product information, specifications and data contained herein, Raltron/RAMI Tech does not guarantee that the information is accurate, reliable or current. The product information is provided only for reference purposes only and is subject to change, correction or revision, at any time without notice. Raltron/RAMI Tech does not assume any liability arising out of an application or use of any product described herein and disclaims any warranties expressed or implied. The user of products in such applications shall assume all risks of such use and will agree to hold Raltron/RAMI Tech, harmless against all damages. Copyright © 2016, Raltron Electronics / RAMI Technology USA, LLC. All rights reserved. No part of this document may be reproduced in any form without the prior written permission of Raltron Electronics / RAMI Technology USA, LLC.