



ELECTRICAL SPECIFICATION

PARAMETER	SYMBOL	CONDITIONS	VALUE	UNIT
Nominal Frequency	f_0	$V_{CC} \pm 5\%$	19.200	MHz
Supply voltage, nom.	V_{CC}	$V_{CC} \pm 5\%$	1.7-3.46	VDC
Supply current, max	I_S	$V_{CC} \pm 5\%$	1.5	mA
Operating temperature	T_a		-30 ~ +85	°C
Storage temperature	$T(stg)$	Absolute max	-40 ~ +90	°C
Frequency Stability				
vs. Temperature, Max	$\Delta f/f_0(T_a)$	Reference to +25°±2°C (-30 TO 85°C)	±0.5	ppm
vs. Supply Voltage	$\Delta f/f_V$	$V_{CC} \pm 5\%$	±0.2	ppm
vs. Load	$\Delta f/f_L$	Load ±10%	±0.1	ppm
vs. Aging Max	$\Delta f/f_0(\text{year})$	Per Year at +25°C ± 2°C	±1.0	ppm
Initial Frequency Calibration, Max	f_c	Measured at 25°C, Reference to f_0	±2.0	ppm
Output Level, Clipped Sine Wave	-	10K Ohms // 10 pF ±10%	0.2	V _{P-P}
Voltage Control Range	V_C	$V_C = 0.3V_{dc}$ to 1.5Vdc	±8 to ±15	ppm
Harmonics			-5	dBc
Start up time, Max	t_s	$V_{OUT} \geq 90\% V_{P-P}$	2.0	ms

MECHANICAL SPECIFICATION



REFLOW PROFILE



Reflow profile		
Temperature Min Preheat	T_{SMIN}	150°C
Temperature Max Preheat	T_{SMAX}	200°C
Time (T_{SMIN} to T_{SMAX})	t_s	60-180 sec.
Temperature	T_L	217°C
Peak Temperature	T_P	260°C
Ramp-up rate	R_{UP}	3°C/sec max.
Ramp-down rate	R_{DOWN}	6°C/sec max.
Time within 5°C of Peak Temperature	t_p	10 sec.
Time $t_{[25^\circ\text{C}]}$ to Peak Temperature	$t_{[25^\circ\text{C}]}$ to Peak	480 sec.
Time	t_L	60-150 sec.

ENVIRONMENTAL

PARAMETER	VALUE
MOISTURE SENSITIVITY LEVEL	1
REACH-SVHC	Compliant
RoHS	Compliant
TERMINATION FINISH	Au





A RAMI TECHNOLOGY Company

TCXO

RTV-2016AF3NY-S-19.200-TR

Page 3 of 3

MARKING

Rx19.2

•ANYw

x – Internal Production ID code
y – Year code
w – Week code

YEAR CODE table with columns Year and Code, mapping years 2011-2019 to codes 1-9.

ALPHA WEEK CODE TABLE with columns Week and Code, mapping weeks 1-52 to letters a-z and A-Z.

APPROVALS

Approval table with fields: RALTRON, Created by, date: KJackson, July 16, 2018; Eng. approval, date: JIvens, July 16, 2018; Revision: A

Raltron Electronics / RAMI Technology USA, LLC, including its affiliates, employees, agents and other persons acting on its behalf (collectively Raltron/RAMI Tech), disclaim any and all liability for any errors or inaccuracies contained in this data sheet.

Copyright © 2016, Raltron Electronics / RAMI Technology USA, LLC. All rights reserved. No part of this document may be reproduced in any form without the prior written permission of Raltron Electronics / RAMI Technology USA, LLC.