

SERIES RTX-231 AND RTV-231

FEATURES

- LOW PROFILE PACKAGE
- TOLERANCE AND STABILITY TO ± 2.5 PPM
- LOW COST


SPECIFICATIONS

SERIES		RTX-231 AND RTV-231
FREQUENCY RANGE		9.60 MHz TO 45.00 MHz
FREQUENCY STABILITY OVER TEMPERATURE RANGE†		± 2.5 PPM
OPERATING TEMPERATURE RANGE		-30°C TO +75°C
EXTENDED TEMPERATURE RANGE		-40°C TO +85°C
FREQUENCY STABILITY VS. SUPPLY VOLTAGE		0.3 PPM AT +5V $\pm 5\%$
INPUT	VOLTAGE†	+5V $\pm 5\%$
	CURRENT	2.0 mA MAX
OUTPUT	WAVEFORM†	CLIPPED SINEWAVE OR CMOS/TTL
	LOAD	10 K OHM / 10pF OR 2 TTL/15 pF
	VOLTAGE	1Vp-p MIN
AGING		± 1 PPM PER YEAR MAX
FREQUENCY ADJUSTMENT		± 3 PPM MIN
FREQUENCY DEVIATION		± 8 PPM TO ± 15 PPM (+2.5 VDC ± 2.0 V)
OPERABLE TEMPERATURE RANGE		-40°C TO +85°C



† OTHER STABILITIES OVER TEMPERATURE, +3.0 V SUPPLY AND OUTPUT WAVEFORMS ARE AVAILABLE

OUTLINE DRAWING



PART NUMBERING SYSTEM

TYPE	REVISION	SERIES	FREQUENCY STABILITY	TEMPERATURE RANGE	VOLTAGE	FREQUENCY CONTROL (RTV ONLY)	TRIMMER	WAVEFORM	FREQUENCY
RTX RTV	TBD*	231	E: ± 2.5 PPM	F1: -30°C TO 75°C D3: -30°C TO 75°C (EXTENDED)	5: +5.0 VDC $\pm 5\%$	X: ± 8 PPM TO ± 15 PPM (+2.5 V ± 2 V)	T	S: CLIPPED SINE C: CMOS/TTL	IN MHz

EXAMPLE: RTX*-231EF15-TS-10.000

Raltron Electronics/RAMI Technology USA, LLC, including its affiliates, employees, agents and other persons acting on its behalf (collectively Raltron/RAMI Tech), disclaim any and all liability for any errors or inaccuracies contained in this data sheet. While Raltron/RAMI Tech has made every reasonable effort to ensure the accuracy of all product information, specifications and data contained herein, Raltron/RAMI Tech does not guarantee that the information is accurate, reliable or current. The product information is provided for reference purposes only and is subject to change, correction or revision, at any time without notice. Raltron/RAMI Tech does not assume any liability arising out of an application or use of any product described herein and disclaims any warranties expressed or implied. The user of products in such applications shall assume all risks of such use and will agree to hold Raltron/RAMI Tech, harmless against all damages.