ASSOCIATION CONNECTING ELECTRONICS INDUSTRIES®	© Co	terial Compo pyright 2005. IPC, Bannoc nternational and Pan-Ameri	kburn, Illinois	. All rights reserv	tion with lowe	r level	parts, the	declaration	encomp	asses all lo		erials for whicl	f the item is an assembly in the manufacturer has is declaration.				
1752-2 1.1		Web Site for Informat		-1752 Standa	ırd					Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materials and Mfg Inform							
Supplier Information																	
Company Name *		Company Unique ID		ıthority	Resp	onse Date) *	Re	sponse D	ocument ID							
RAMI TECHNOLOGY US	АЩ					2019-04-20											
Contact Name *		Title - Contact		Phone - Contact *			l - Contac	t *		Dunlin		> A the a wim a al	Dennesentativa				
YG Jiao				0755-21537133			@ramite	chnology.	com	Duplica	ale Contact	-> Authorized	Representative				
Authorized Representat	ive *	Title - Representative	Э	Phone - Rep	resentative *	Email	- Represe	entative *	Sı	pplier Con	nments or UR	_ for Additiona	al Information				
John Ivens				305-593-603	3	john.i	ivens@ral	tron.com									
Requester Item Numbe	r	Mfr Item Number		Mfr Item Name	•	Effecti	ve Date	Version M	1anufact	uring Site	Weight *	UOM	Unit Type				
		CO2016 product fam	ily	CO2016 prod	luct family	2019-	04-20				8.29974	mg	Each				
Alternate Recommend	ation							Alternate Ite	em Com	ments							
Manufacturing Proce	ss In	formation															
Terminal Plating / Grid Array	Materi	ial	Terminal B	ase Alloy	J-STD-020 MSL R	ating	ng Peak Process Body Ten			ıre Max Tir	ne at Peak Tem	Temperature Number of Reflow Cycles					
Gold (Au)			Alloy 42		1				0 C		10 se	econds 2					
Comments					1		1					I					

Save the fields in Lock the fields on this Import fields from a Clear all of the Lock Supplier Fields **Export Data** Import Data Reset Form this form to a file file into this form fields on this form form to prevent changes

RoHS Material Composition Declaration

Declaration Type *

Detailed

2002/95/EC

RoHS Directive | RoHS Definition: Quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE) and quantity limit of 0.01% by mass (100 PPM) of homogeneous material for Cadmium

Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2002/95/EC and implemented by the laws of the European Union member states) of the part identified on this form contains lead, mercury, cadmium, hexavalent chromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a "RoHS restricted substance") in excess of the applicable quantity limit identified above. If a homogeneous material within the part contains a RoHS restricted substance in excess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall encompass all such components. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledge and belief, as of the date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive. Company acknowledges that Supplier may have relied on information provided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier has not independently verified information provided by others, Supplier agrees that, at a minimum, its suppliers have provided certifications regarding their contributions to the part, and those certifications are at least as comprehensive as the certification in this paragraph. If the Company and the Supplier enter into a written agreement with respect to the identified part the terms and conditions of that agreement, including any warranty rights and/or remedies provided as part of that agreement, will be the sole and exclusive source of the Supplier's liability and the Company's remedies for issues that arise regarding information the Supplier provides in this form. In the absence of such written agreement, the warranty rights and/or remedies of Supplier's Standard Terms and Conditions of Sale applicable to such part shall apply.

RoHS Declaration *

1 - Item(s) does not contain RoHS restricted substances per the definition above

Supplier Acceptance * Accepted

Exemptions: If the declared item does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the corresponding response in the RoHS Declaration above and choose all applicable exemptions.

Declaration Signature

Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.

Supplier Digital Signature YG Jiao

数字签名者: YG Jiao DN: cn=YG Jiao, o=RAMI TECHNOLOGY USA LLC, ou=QA, email=ygjiao@ramitechnology.com, c=CN 日期: 2014.04.08 10:48:35 +08'00'

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Line Functions: +I Inserts a New Item /SubItem +M Inserts a new Material +C Inserts a new Substance Category +S Inserts a new Substance - Deletes the element line

	Item/SubItem			Homogeneous	Weight	Unit of		Laval	Substance Category			Substance	CAS	Exempt	Wajaht	Unit of	Tolerance		PPM
	Name			Material	vveigni	Measure		Level	Substance Category			Substance	CAS	Exempt	weignt	Measure	-	+	PPIVI
+1 -1	CO2016	+M	-M	Base	5.72529	mg	+C -C	Supplier	Ceramic	+S	-S	AI2O3	1344-28-1		3.06876	mg			
										+S	-S	SiO2	14808-60-7		0.10303	mg			
										+S	-S	Cr2O3	1308-38-9		0.18434	mg			
										+S	-S	TiO2	13463-67-7		0.01892	mg			
										+S	-S	MgO	1309-48-4		0.01775	mg			
										+S	-S	СаО	1305-78-8		0.01834	mg			
							+C -C	Supplier	Electric conductor	+S	-S	w	7440-33-7		0.89773	mg			
										+S	-S	Мо	7439-98-7		0.02806	mg			
							+C -C	Supplier	Brazing material	+S	-S	Ag	7440-22-4		0.20611	mg			
										+S	-S	Cu	7440-50-8		0.08015	mg			
							+C -C	Supplier	Kovar ring&plating	+S	-S	Fe	7439-89-6		0.48894	mg			
										+S	-S	Со	7440-48-4		0.20437	mg			
							+C -C	Supplier	Au plating	÷S	-S	Au	7440-57-5		0.02864	mg			
							+C -C	В	Nickel (external applic	+S	-S	Nickel	7440-02-0		0.38015	mg			
		+M	-M	LID	1.80884	mg	+C -C	Supplier	Kovar	+S	-S	Fe	1309-37-1		0.92577	mg			
										+S	-S	Со	7440-48-4		0.32559	mg			
										+S	-S	Mn	7439-96-5		0.00904	mg			
										+S	-S	Silicone	7440-21-3		0.00542	mg			
										+S	-S	С	1333-86-4		0.00036	mg			
							+C -C	В	Nickel (external applic	+S	-S	Nickel	7440-02-0		0.54266	mg			
		+M	-M	Blank	0.33453	mg	+C -C	Supplier	Quartz	+S	-S	SiO2	14808-60-7		0.33453	mg			
		+M	-M	Silver	0.00344	mg	+C -C	Supplier	Electrode	+S	-S	Ag	7440-22-4		0.00344	mg			
		+M	-M	Ероху	0.00011	mg	+C -C	Supplier	Ероху	+S	-S	Ag	7440-22-4		0.00009	mg			

	+S	-S	SiO)2		7631-86-9			0.00001	mg											
	+S	-S	C12	2H26		1	112-40-3		0.00001	mg											
+M -M IC				0.42753	mg +	С	-C Supplier	Water			+S	-S	Si			7440-21-3	0.	.1133	mg		
							•				+S	-S	Al			7429-90-5	0	.00023	mg		
											+S	-S	Cu			7440-50-8	0	.00023	mg		
											+S	-S	Ti			7440-32-6	0	.00011	mg		
											+S	-S	w			7440-33-7	0	.00023	mg		
							_				+S	-S	Au			7440-57-5	0	.00499	mg		
					+	С	-C Supplier	D/B ad	hesive		+S	-S	Ероху	resin		25068-38-6	0	.15698	mg		
											+S	-S	N-Buto	xy gly	idyl eth	2426-08-6	0	.01083	mg		
											+S	-S	3,4-dic	hlorop	henyl	330-54-1	0	.02165	mg		
							_				+S	-S	Alumir	nim Hyd	droxide	21645-51-2	0	.0812	mg		
					+	С	-C Supplier	Au wir	е	·	+S	-S	Au			7440-57-5	0	.04271	mg		