ASSOCIATION CONNECTING ELECTRONICS INDUSTRIES®	© Co	terial Compo pyright 2005. IPC, Bannocl ternational and Pan-Americ	kburn, Illinois	. All rights reserv	tion with lower	r level	parts, the	declaration	encom	passes al	ll lower le	evel mate	erials for which	f the item is an assembly the manufacturer has is declaration.		
1752-2 1.1		Web Site for Informat //www.ipc.org/IPC-1		-1752 Standa	ırd		m Type * tribute	-	Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materials and Mfg Inform							
Supplier Information																
Company Name *		Company Unique ID		Unique ID Authority			Response Date *				Docume					
RAMI TECHNOLOGY US					2016-05-09											
Contact Name * Title - Contact				Phone - Contact *			l - Contac	t *		Divis	lianta C	`tt	> Atha.a.ia.d	Dennesantativa		
YG Jiao			33	ygjiao@ramitechnology.con				Dup	licate C	ontact -	-> Authorized	Representative				
Authorized Representative * Title - Representa			Э	Phone - Representative 3			- Represe	entative *	5	Supplier Comments or URL for Additional Information						
Frank Parra				305-593-603	3	frank	@ramitec	hnology.c	com							
Requester Item Number	r	Mfr Item Number		Mfr Item Name		Effective Date Vers		Version N	Manufacturing Site		e We	eight *	UOM	Unit Type		
		COM1 product family	/	COM1 produ	ct family	2021-	2021-03-01				24	1.305	mg	Each		
Alternate Recommenda					Alternate Item (tem Cor	Comments							
Manufacturing Proces	ss In	formation														
Terminal Plating / Grid Array Material Term			Terminal B	ase Alloy	J-STD-020 MSL R	ating	Peak Process Body Tempe			perature Max Time at Peak Ten			nperature Number of Reflow Cycles			
Gold (Au) - electroplated			Alloy 42	2 1						260 C			econds 2			
Comments		·			1		1									

Save the fields in Lock the fields on this Import fields from a Clear all of the Lock Supplier Fields **Export Data** Import Data Reset Form this form to a file file into this form fields on this form form to prevent changes

RoHS Material Composition Declaration

Declaration Type *

Detailed

2002/95/EC

RoHS Directive | RoHS Definition: Quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE) and quantity limit of 0.01% by mass (100 PPM) of homogeneous material for Cadmium

Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2002/95/EC and implemented by the laws of the European Union member states) of the part identified on this form contains lead, mercury, cadmium, hexavalent chromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a "RoHS restricted substance") in excess of the applicable quantity limit identified above. If a homogeneous material within the part contains a RoHS restricted substance in excess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall encompass all such components. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledge and belief, as of the date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive. Company acknowledges that Supplier may have relied on information provided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier has not independently verified information provided by others, Supplier agrees that, at a minimum, its suppliers have provided certifications regarding their contributions to the part, and those certifications are at least as comprehensive as the certification in this paragraph. If the Company and the Supplier enter into a written agreement with respect to the identified part the terms and conditions of that agreement, including any warranty rights and/or remedies provided as part of that agreement, will be the sole and exclusive source of the Supplier's liability and the Company's remedies for issues that arise regarding information the Supplier provides in this form. In the absence of such written agreement, the warranty rights and/or remedies of Supplier's Standard Terms and Conditions of Sale applicable to such part shall apply.

RoHS Declaration *

1 - Item(s) does not contain RoHS restricted substances per the definition above

Supplier Acceptance * Accepted

Exemptions: If the declared item does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the corresponding response in the RoHS Declaration above and choose all applicable exemptions.

Declaration Signature

Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.

Supplier Digital Signature YG Jiao

数字签名者: YG Jiao DN:cn=YG Jiao, o=RAMI TECHNOLOGY USA LLC, ou=QA, email=ygjiao@ramitechnology.com, c=CN 日期: 2014.04.08 15:44:13 +08'00'

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Line Functions: +I Inserts a New Item /SubItem +M Inserts a new Material +C Inserts a new Substance Category +S Inserts a new Substance - Deletes the element line

	Item/SubItem Name		Homogeneous Material	Weight	Unit of Measure		Level	Substance Category			Substance	CAS	Exempt	Weight	Unit of Measure	Tolera	ance +	РРМ
+1 -1	COM1	+M -N	BASE	20.017	mg	+C -C	Supplier	Base	+8 -		Al2O3	1344-28-1		16.396	mg			
		JI_							+S	-s	SiO	14808-60-7		1.093	mg			
									+S	-S	Cr2O3	1308-38-9		0.364	mg			
									+S	-S	Мо	7439-98-7		0.364	mg			
									+S	-S	w	7440-33-7		0.2	mg			
									+S	-S	Ag	7440-22-4		0.426	mg			
									+S	-S	Cu	7440-50-8		0.174	mg			
									+S	-S	Fe	7439-89-6		0.212	mg			
									+S	-S	Со	7440-48-4		0.072	mg			
									+S	-S	Au	7440-57-5		0.114	mg			
						+C -C	В	Nickel (external applic	+S	-S	Nickel	7440-02-0		0.602	mg			
		+M -N	Lid	3.485	mg	+C -C	Supplier	Metal Alloy	+S	-s	Fe	7439-89-6		1.69	mg			
									+S	-S	Со	7440-48-4		0.558	mg			
									+S	-S	Mn	7439-96-5		0.017	mg			
						+C -C	В	Nickel (external applic	+S	-s	Nickel	7440-02-0		1.22	mg			
		+M -N	Crystal Resonat	0.242	mg	+C -C	Supplier	Quartz blank	+S	-S	SiO	14808-60-7		0.242	mg			
		+M -N	Silver	0.037	mg	+C -C	Supplier	Silver	+S	-S	Ag	7440-22-4		0.037	mg			
		+M -N	Cr	0.002	mg	+C -C	Supplier	Chromium	+S	-S	Cr	7440-47-3		0.002	mg			
		+M -N	Adhesive	0.071	mg	+C -C	Supplier	Ероху	+S		Ag	7440-22-4		0.049	mg			
									+S	-S	Pd	7440-05-3		0.004	mg			
									+S	-S	СН3(СН2)9СН3	1120-21-4		0.007	mg			
											` '	112-40-3		0.004	mg			
									+S	-S	SiO2	7631-86-9		0.007	mg			

+M -M IC	0.08	mg	+(c -c	Supplier	Silicon	+S	-s	Si	7440-21-3	0.08	mg	
+M -M Die Adhesive	0.171	mg	+(C -C	Supplier	Polymer	+S	+S -S C15H20O6		15625-89-5	0.128	mg	
	•						+8	-S	C9H13N7C3H3N3O3	68490-66-4	0.003	mg	
							+8	-S	(C6H6O CH2O)X	28064-14-4	0.03	mg	
							+8	-s	SiO	14808-60-7	0.01	mg	
+M -M Bonding wire	0.2	mg	+(C -C	Supplier	Gold	+S	-S	Au	7440-57-5	0.2	mg	