ASSOCIATION CONNECTING ELECTRONICS INDUSTRIES®	© Co	terial Compo pyright 2005. IPC, Bannoc nternational and Pan-Ameri	kburn, Illinois	. All rights reserve	tion with lower	ument is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembler level parts, the declaration encompasses all lower level materials for which the manufacturer hating responsibility.  Adobe Reader version 7.0.5 is required to complete this declaration.										
1752-2 1.1	ion on IPC <mark>75x</mark>	IPC-1752 Standard			m Type * ribute		Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materials and Mfg Informat									
Supplier Information																
Company Name *	Company Unique ID		Unique ID Authority			Response Date *			sponse Doc	ument ID						
RAMI TECHNOLOGY US						2016-02-25										
Contact Name *		Title - Contact		Phone - Contact *			Email - Contact *			Dunlingto	Camtaat	> A 4b	Danuarantativa			
YG Jiao				0755-21537133			@ramite	chnology.	com	Duplicate	Contact	-> Authorizea	Representative			
Authorized Representat	ive *	Title - Representative	9	Phone - Representative *			- Represe	entative *	Su	oplier Comm	nents or UR	_ for Additiona	l Information			
Frank Parra				305-593-603	frank@ramitechnology.com											
Requester Item Number	r	Mfr Item Number		Mfr Item Name		Effecti	ve Date	Version M	1anufactu	ring Site	Weight *	UOM	Unit Type			
		H10S product family		H10S product	t family	2021-	01-18	cł	nina		65.211	mg	Each			
Alternate Recommendation					Alternate			em Comments								
Manufacturing Proce	ss In	formation								·						
Terminal Plating / Grid Array Material			Terminal Ba	ase Alloy	J-STD-020 MSL R	ating	Peak Process Body Ter			e Max Time	at Peak Tem	perature Numb	er of Reflow Cycles			
Gold (Au) - electroplate		CU Alloy		1				0 C	<b>10</b> se		econds 2					
Comments												•				

Save the fields in Lock the fields on this Import fields from a Clear all of the Lock Supplier Fields **Export Data** Import Data Reset Form this form to a file file into this form fields on this form form to prevent changes

## **RoHS Material Composition Declaration**

**Declaration Type \*** 

Detailed

2002/95/EC

RoHS Directive | RoHS Definition: Quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE) and quantity limit of 0.01% by mass (100 PPM) of homogeneous material for Cadmium

Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2002/95/EC and implemented by the laws of the European Union member states) of the part identified on this form contains lead, mercury, cadmium, hexavalent chromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a "RoHS restricted substance") in excess of the applicable quantity limit identified above. If a homogeneous material within the part contains a RoHS restricted substance in excess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall encompass all such components. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledge and belief, as of the date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive. Company acknowledges that Supplier may have relied on information provided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier has not independently verified information provided by others, Supplier agrees that, at a minimum, its suppliers have provided certifications regarding their contributions to the part, and those certifications are at least as comprehensive as the certification in this paragraph. If the Company and the Supplier enter into a written agreement with respect to the identified part the terms and conditions of that agreement, including any warranty rights and/or remedies provided as part of that agreement, will be the sole and exclusive source of the Supplier's liability and the Company's remedies for issues that arise regarding information the Supplier provides in this form. In the absence of such written agreement, the warranty rights and/or remedies of Supplier's Standard Terms and Conditions of Sale applicable to such part shall apply.

**RoHS Declaration \*** 

1 - Item(s) does not contain RoHS restricted substances per the definition above

Supplier Acceptance \* Accepted

Exemptions: If the declared item does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the corresponding response in the RoHS Declaration above and choose all applicable exemptions.

## **Declaration Signature**

Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.

Supplier Digital Signature YG Jiao

数字签名者: YG Jiao DN: cn=YG Jiao, o=RAMI TECHNOLOGY USA LLC, ou=QA, email=ygjiao@ramitechnology.com, c=CN 日期: 2014.04.08 10:48:35 +08'00'

## **Homogeneous Material Composition Declaration for Electronic Products**

**SubItem Instructions:** The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

**Substance Instructions:** [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Line Functions: +I Inserts a New Item /SubItem +M Inserts a new Material +C Inserts a new Substance Category +S Inserts a new Substance - Deletes the element line

	Item/SubItem				Homogeneous	Weight	Unit of			_evel	Substance Category			Substance	CAS	Exempt	Weight	0	Tolerance		PPM
		Name			Material	Weight	Measure	<u> </u>		-0101	Cubotance Category			Gubstanec	OAG	LXCIIIpt	Worgin	Measure	-	+	
+1	-I	H10S	+1	/I -N	Base	49.29	mg	+C	.C s	upplier	Ceramic	+S	-\$	Al2O3	1344-28-1		18.11	mg			
												+S	-S	SiO2	7631-86-9		1.21	mg			
												+S	-s	Cr2O3	1308-38-9		0.4	mg			
												+S	-s	Мо	7439-98-7		0.4	mg			
												+S	-s	Fe	7439-89-6		0.78	mg			
												+S	-s	Со	7440-48-4		0.27	mg			
												+S	-s	Au	7440-57-5		0.05	mg			
												+S	-s	w	7440-33-7		11.78	mg			
												+S	-s	Ag	7440-22-4		7.42	mg			
												+S	-s	Cu	7440-50-8		3.03	mg			
								+C	С в	3	Nickel (external applic	+S	-s	Nickel	7440-02-0		5.84	mg			
			+1	<b>N-N</b>	/ Lid	12.24	mg	+C -	C s	upplier	metal alloy	+S	-S	Fe	8053-60-9		6.48	mg			
					_	•	•	,		•		+S	-s	Со	7440-48-4		2.04	mg			
								+C	СВ	3	Nickel (external applic	+S	-S	Nickel	7440-02-0		3.72	mg			
			+1	<b>1</b> -N	Blank	2.307	mg	+C	c s	upplier	Blank	+S	-S	SiO2	14808-60-7		2.307	mg			
			+1	<b>1</b> -N	/I Ag	0.687	mg	+C	c s	upplier	Ag	+S	-S	Ag	7440-22-4		0.687	mg			
			+1	<b>1</b> -N	Ag Epoxy	0.687	mg	+C -	C s	upplier	Silver	+S	-S	Ag	7440-22-4		0.584	mg			
						•	•			•		+S	-S	Silicon Resin	Silicon R		0.103	mg			
															_				l I		