ASSOCIATION CONNECTING ELECTRONICS INDUSTRIES®	© Co	terial Compo pyright 2005. IPC, Bannoc nternational and Pan-Ameri	kburn, Illinois	. All rights reserv	tion with lowe	r level	parts, the o	declaration	encomp	asses all low	er level mate		the item is an assembly the manufacturer has is declaration.			
1752-2 1.1		Web Site for Informat		:-1752 Standard						Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materials and Mfg Informa						
Supplier Information																
Company Name * Company Unique ID				Unique ID Authority			Response Date *			esponse Dod	cument ID					
RAMI TECHNOLOGY USA L						2016-	01-29									
Contact Name *	Title - Contact		Phone - Cor	Email - Contact *				Dunlingt	- Courte et	> A 4b	Dennesentativa					
YG Jiao	QA Manager		0755-21537133			@ramited	chnology.	com	Duplicate	e Contact	-> Authorizea	Representative				
Authorized Representati	Title - Representative	Э	Phone - Representative *			- Represe	entative *	S	upplier Comr	ments or URI	L for Additiona	al Information				
Frank Parra	QA Director		305-593-603	Frank@ramitechnology.com												
Requester Item Numbe	r	Mfr Item Number		Mfr Item Name	Effective Date		Version N	n Manufacturing Site		Weight *	UOM	Unit Type				
	H130A Product fa		У	H130A Product family		2021-	02-18	С	China		54.98	mg	Each			
Alternate Recommend			Alternate Ite			em Com	n Comments									
Manufacturing Proces	ss In	formation														
Terminal Plating / Grid Array Material Terminal B			Base Alloy J-STD-020 MSL Rat			ting Peak Process Body			ure Max Time	at Peak Tem	perature Numb	er of Reflow Cycles				
` '			CU Alloy	,	1		260				<b>10</b> se	econds 2				
Comments												•				

Save the fields in this form to a file	vacut Data	Import fields from a file into this form	Import Data	Clear all of the fields on this form	Reset Form	Lock the fields on this form to prevent changes	Lock Supplier Fields
RoHS Material Comp	osition Declaration	ı				Declaration Type *	Detailed
					d (Pb), Mercury, Hexava ogeneous material for C	alent Chromium, Polybromin admium	ated Biphenyls (PBB),
nromium, polybrominated bipheny xcess of an applicable quantity lim athered the information it provides ompany will rely on this certification ompleting this form, and that Suppertifications regarding their contrib	Is and/or polybrominated diphe nit, please indicate below which in this form using appropriate on in determining the complian- plier may not have independent outions to the part, and those co ding any warranty rights and/or	enyl ethers (each a "RoHS restrin, if any, RoHS exemption you be methods to ensure its accuracy ce of its products with European thy verified such information. Hoertifications are at least as comparemedies provided as part of the	icted substance") in excess of pelieve may apply. If the pair and that such information is a Union member state laws the owever, in situations where Storehensive as the certification at agreement, will be the solutions.	If the applicable quantity limit it is an assembly with lower letrue and correct to the best on at implement the RoHS Direct upplier has not independently in this paragraph. If the Cone and exclusive source of the	identified above. If a homogenerate components, the declaration of its knowledge and belief, as of ctive. Company acknowledges the verified information provided by mpany and the Supplier enter into Supplier's liability and the Comp	entified on this form contains lead, me ous material within the part contains a shall encompass all such component the date that Supplier completes this finat Supplier may have relied on inform others, Supplier agrees that, at a min or a written agreement with respect to the pany's remedies for issues that arise regy.	RoHS restricted substance in s. Supplier certifies that it form. Supplier acknowledges that nation provided by others in imum, its suppliers have provided he identified part,the terms and
RoHS Declaration * 4 - 1	tem(s) does not contain RoH	S restricted substances per th	ne definition above except f	or selected exemptions		Supplier Acceptance * Acceptance *	pted
<b>exemptions:</b> If the declared bove and choose all application		RoHS restricted substance	es per the definition ab	ove except for defined	RoHS exemptions, then se	elect the corresponding respon	se in the RoHS Declaration
Exemption List Version	EL-2006/690/EC						
+ - 7c. Lead in electronic ce	eramic parts (e.g. piezoelectr	onic devices).					

## **Declaration Signature**

Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.

Supplier Digital Signature YG Jiao

数字签名音: YG Jilao DN:cn=YG Jilao, o=RAMI TECHNOLOGY USA LLC, ou=QA, email=ygjilao@ramitechnology.com, c=CN 日期:2013.12.23 14.21.03 +06/00\*

## **Homogeneous Material Composition Declaration for Electronic Products**

**Subltem Instructions:** The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

**Substance Instructions:** [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Line Functions: +I Inserts a New Item /SubItem +M Inserts a new Material +C Inserts a new Substance Category +S Inserts a new Substance - Deletes the element line

	Item/SubItem		Homogeneous	Weight	Unit of			Level	Substance Category			Substance	CAS	Exempt		Unit of Measure	Tolerance		PPM
	Name		Material	Weight	Measure			Level				Gubstance	OAO .	Lxempt	Weight		-	+	
+1 -1	H130A Series	+M -M	Blank	0.3	mg	+C	-C	Supplier	Quartz	+S	Ş	SiO	14808-60-7		0.3	mg			
		+M -M	plate	0.01	mg	+C	-C	Supplier	Electrode	+S	-S	Cr	7440-47-3		0.00011	mg			
										+S	-S	Silver	7440-22-4		0.011	mg			
		+M -M	Package	29.8	mg	+C	-C	Supplier	Ceramics	+\$	-S	Al2O3	1344-28-1		24.06	mg			
										+S	-S	SiO	14808-60-7		1.069	mg			
										+S	-S	Cr2O3	1308-38-9		1.069	mg			
										+S	-S	TiO2	13463-67-7		0.535	mg			
						+C	-C	В	Nickel (external applic	+S	-S	Nickel	7440-02-0		0.209	mg			
						+C	-C	Supplier	Mettallizing	+S	-S	w	7440-33-7		2.86	mg			
		+M -M	CAP	24	mg	+C	-C	Supplier	ceramics	+\$	-S	Al2O3	1344-28-1		17.208	mg			
										+S	-S	SiO	14808-60-7		0.504	mg			
						+C	-C	Α	Lead/Lead Compound	+S	-S	Lead (II) oxide	1317-36-8	7c. Lead	3.792	mg			
						+C	-C	Supplier	Sealing glass	+S	-S	others	proprietary		2.496	mg			
		+M -M	Adhesive	0.86	mg	+C	-C	Supplier	Metal	+\$	-S	Ag	7440-22-4		0.693	mg			
						+C	-C	Supplier	Polymer	+S	-S	СН3(СН2)9СН3	1120-21-4		0.042	mg			
										+S	-S	CH3(CH2)10CH3	112-40-3		0.042	mg			
										+S	-S	Silicone resin	67763-03-5		0.086	mg			