

 <small>ASSOCIATION CONNECTING ELECTRONICS INDUSTRIES®</small>		Material Composition Declaration <small>© Copyright 2005. IPC, Bannockburn, Illinois. All rights reserved under both international and Pan-American copyright conventions.</small>		<small>This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with lower level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.</small> Adobe Reader version 7.0.5 is required to complete this declaration.					
1752-2 1.1		IPC Web Site for Information on IPC-1752 Standard http://www.ipc.org/IPC-175x			Form Type * Distribute		Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materials and Mfg Information		
Supplier Information									
Company Name * Raltron		Company Unique ID		Unique ID Authority		Response Date *		Response Document ID	
Contact Name * YG Jiao		Title - Contact QA manager		Phone - Contact * 0755-21537133		Email - Contact * ygjiao@ramitechnology.com		<input type="button" value="Duplicate Contact -> Authorized Representative"/>	
Authorized Representative * Frank		Title - Representative QA Director		Phone - Representative * 305-593-6033		Email - Representative * frank@ramitechnology.com		Supplier Comments or URL for Additional Information	
	Requester Item Number	Mfr Item Number	Mfr Item Name	Effective Date	Version	Manufacturing Site	Weight *	UOM	Unit Type
	RSF (1411) Family	RSF (1411) Family	RSF (1411) Product Family	2021-09-01			3.11345	mg	Each
	Alternate Recommendation				Alternate Item Comments				
Manufacturing Process Information									
Terminal Plating / Grid Array Material Gold (Au)		Terminal Base Alloy CU Alloy		J-STD-020 MSL Rating 1		Peak Process Body Temperature 260 C		Max Time at Peak Temperature 10 seconds	
								Number of Reflow Cycles 2	
Comments									

RoHS Material Composition Declaration

Declaration Type *Detailed

RoHS Directive 2002/95/EC

RoHS Definition: Quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE) and quantity limit of 0.01% by mass (100 PPM) of homogeneous material for Cadmium

Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2002/95/EC and implemented by the laws of the European Union member states) of the part identified on this form contains lead, mercury, cadmium, hexavalent chromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a "RoHS restricted substance") in excess of the applicable quantity limit identified above. If a homogeneous material within the part contains a RoHS restricted substance in excess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall encompass all such components. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledge and belief, as of the date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive. Company acknowledges that Supplier may have relied on information provided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier has not independently verified information provided by others, Supplier agrees that, at a minimum, its suppliers have provided certifications regarding their contributions to the part, and those certifications are at least as comprehensive as the certification in this paragraph. If the Company and the Supplier enter into a written agreement with respect to the identified part, the terms and conditions of that agreement, including any warranty rights and/or remedies provided as part of that agreement, will be the sole and exclusive source of the Supplier's liability and the Company's remedies for issues that arise regarding information the Supplier provides in this form. In the absence of such written agreement, the warranty rights and/or remedies of Supplier's Standard Terms and Conditions of Sale applicable to such part shall apply.

RoHS Declaration *1 - Item(s) does not contain RoHS restricted substances per the definition above

Supplier Acceptance *Accepted

Exemptions: If the declared item does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the corresponding response in the RoHS Declaration above and choose all applicable exemptions.

Declaration Signature

Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.

Supplier Digital SignatureYG Jiao



数字签名者: YG Jiao
DN : cn=YG Jiao, o=RAMI TECHNOLOGY USA LLC, ou=QA,
email=ygjiao@ramitechnology.com, c=CN
日期 : 2013.08.27 02:46:08 +08'00'

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Line Functions: +I Inserts a New Item /SubItem +M Inserts a new Material +C Inserts a new Substance Category +S Inserts a new Substance - Deletes the element line

		Item/SubItem Name			Homogeneous Material	Weight	Unit of Measure			Level	Substance Category			Substance	CAS	Exempt	Weight	Unit of Measure	Tolerance		PPM
																			-	+	
+I	-I	RSF (1411) Family	+M	-M	Wafer	2.375	mg	+C	-C	Supplier	Lithium Tantalum	+S	-S	LiTaO3	12031-66-2		2.375	mg			
			+M	-M	Metalization	0.1	mg	+C	-C	Supplier	Metalization	+S	-S	Al	7429-90-5		0.1	mg			
			+M	-M	Wire Bond	0.1	mg	+C	-C	Supplier	Wire Bond	+S	-S	Au	7440-57-5		0.1	mg			
			+M	-M	Base	0.53845	mg	+C	-C	Supplier	Lamination	+S	-S	Fiber Glass Wool	65997-17-3		0.02335	mg			
												+S	-S	Cu	7440-50-8		0.0467	mg			
												+S	-S	Formaldehyde Polyme	28906-96-9		0.00467	mg			
												+S	-S	Cyanic acid Ester hom	25722-66-1		0.00467	mg			
												+S	-S	Silica Dioxide	7631-86-9		0.01401	mg			
								+C	-C	Supplier	Prepeg	+S	-S	Fiber Glass Wool	65997-17-3		0.03	mg			
												+S	-S	Formaldehyde Polyme	28906-96-9		0.015	mg			
												+S	-S	Cyanic acid Ester hom	25722-66-1		0.04	mg			
												+S	-S	Phenol Polymer w/ar	223769-10		0.007	mg			
												+S	-S	Silica Dioxide	7631-86-9		0.008	mg			
								+C	-C	Supplier	Mask	+S	-S	Solvent Naphthalene	64742-94-5		0.00224	mg			
												+S	-S	C10H8	91-20-3		0.00032	mg			
												+S	-S	Magnesium Silicate	14807-96-6		0.0008	mg			
												+S	-S	Proprietary	7732-18-5		0.00128	mg			
												+S	-S	Barium Sulfate	7727-43-7		0.00624	mg			
												+S	-S	Dipropylene glycol	34590-94-8		0.00192	mg			
												+S	-S	C22H26O4	85954-11-6		0.0032	mg			
								+C	-C	Supplier	Copper Plating	+S	-S	Cu	7440-50-8		0.27361	mg			
								+C	-C	Supplier	Gold Plating	+S	-S	Au	7440-57-5		0.00206	mg			
								+C	-C	B	Nickel (external applic	+S	-S	Nickel	7440-02-0		0.0521	mg			

+C	-C	Supplier	Palladium plating	+S	-S	Pd	7440-05-3		0.00128	mg				
----	----	----------	-------------------	----	----	----	-----------	--	---------	----	--	--	--	--