_ ASS	DOLLATION CONNECTING												the manufacturer has				
175	)Z-Z		Web Site for Informat //www.ipc.org/IPC-1		-1752 Standa	ard				Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materials and Mfg Inform							
Sup	olier Information																
Com	pany Name *		Company Unique ID		Unique ID Authority			Response Date *			Response	Document	ID				
Raltı	ron																
Cont	act Name *		Title - Contact		Phone - Contact *			- Contact	t *		Duplicate Contact -> Authorized Representative						
YG J	iao		QA manager		0755-21537133			ygjiao@ramitechnology.com				licate Con	iaci ->	Authorizea	Representative		
Auth	orized Representativ	/e *	Title - Representative	9	Phone - Representative *			Email - Representative *				Supplier Comments or URL for Additional Information					
Fran	k		QA Director		305-593-6033			frank@ramitechnology.com									
	Requester Item Number		Mfr Item Number		Mfr Item Name			ve Date	Version I	Manufa	cturing Site	Weig	ht *	UOM	Unit Type		
	RTX2016		RTX-2016 Family					09-01				9.054	1	mg	Each		
Alternate Recommendation						Alternat			Item Comments								
Mar	ufacturing Proces	s Inf	formation														
Term	nal Plating / Grid Array N	/lateri	al	Terminal B	J-STD-020 MSL Ra	iting	g Peak Process Body Tem			mperature Max Time at Peak Te			mperature Number of Reflow Cycles				
Gold (Au)				CU Alloy				20	<b>60</b> C		10 seconds 2						
Comr	nents					1		1			I			I			

Lock the fields on this Save the fields in Import fields from a Clear all of the Lock Supplier Fields **Export Data** Import Data Reset Form this form to a file file into this form fields on this form form to prevent changes

## **RoHS Material Composition Declaration**

**Declaration Type \*** 

Detailed

2002/95/EC

RoHS Directive | RoHS Definition: Quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE) and quantity limit of 0.01% by mass (100 PPM) of homogeneous material for Cadmium

Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2002/95/EC and implemented by the laws of the European Union member states) of the part identified on this form contains lead, mercury, cadmium, hexavalent chromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a "RoHS restricted substance") in excess of the applicable quantity limit identified above. If a homogeneous material within the part contains a RoHS restricted substance in excess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall encompass all such components. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledge and belief, as of the date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive. Company acknowledges that Supplier may have relied on information provided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier has not independently verified information provided by others, Supplier agrees that, at a minimum, its suppliers have provided certifications regarding their contributions to the part, and those certifications are at least as comprehensive as the certification in this paragraph. If the Company and the Supplier enter into a written agreement with respect to the identified part the terms and conditions of that agreement, including any warranty rights and/or remedies provided as part of that agreement, will be the sole and exclusive source of the Supplier's liability and the Company's remedies for issues that arise regarding information the Supplier provides in this form. In the absence of such written agreement, the warranty rights and/or remedies of Supplier's Standard Terms and Conditions of Sale applicable to such part shall apply.

RoHS Declaration \*

1 - Item(s) does not contain RoHS restricted substances per the definition above

Supplier Acceptance \* Accepted

Exemptions: If the declared item does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the corresponding response in the RoHS Declaration above and choose all applicable exemptions.

## **Declaration Signature**

Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.

Supplier Digital Signature YG Jiao

数字签名者: YG Jiao DN:cn=YG Jiao, o=RAMI TECHNOLOGY USA LLC, ou=QA, email=ygjiao@ramitechnology.com, c=CN 日期: 2013.08.27 09:46:08 +08'00'

## **Homogeneous Material Composition Declaration for Electronic Products**

**SubItem Instructions:** The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

**Substance Instructions:** [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Line Functions: +I Inserts a New Item /SubItem +M Inserts a new Material +C Inserts a new Substance Category +S Inserts a new Substance - Deletes the element line

Item/SubItem Name	Item/SubItem		Homogeneous	VA/a i aula 4	Unit of		Lawal	Substance Category			Cubatanas	CAC		Waint	OILL OI	Tolerance		PPM
			Material	Weight	Measure		Level				Substance	CAS	Exempt	weight	Measure	-	+	PPINI
+1 -1	RTX2016 Family	+M -M	Cover	1.2592	mg	+C -C	Supplier	Kovar	+S	-S	Iron	7439-89-6		0.6124	mg			
		_							+S	-S	Со	7440-48-4		0.126	mg			
									+S	-S	Mn	7439-96-5		0.0059	mg			
									+S	-S	Si	7440-21-3		0.0024	mg			
									+S	-S	С	1333-86-4		0.0002	mg			
						+C -C	В	Nickel (external applic	+S	-S	Nickel	7440-02-0		0.5123	mg			
		+M -M	Base	6.944	mg	+C -C	Supplier	Ceramic	+S	-S	AI2O3	1344-28-1		4,409	mg			
									+S	-S	Mn2O3	1317-34-6		0.164	mg			
									+S	-S	SiO2	7631-86-9		0.1524	mg			
									+S	-S	MoO3	1313-27-5		0.0234	mg			
									+S	-S	MgO	1309-48-4		0.0117	mg			
						+C -C	Supplier	Metalization	+S	-S	Мо	7439-98-7		0.715	mg			
						+C -C	Supplier	Under plating	+S	-S	Co	7440-48-4		0.0317	mg			
						+C -C	В	Nickel (external applic	+S	-S	Nickel	7440-02-0		0.1348	mg			
						+C -C	Supplier	Plating	+S	-s	Au	7440-57-5		0.049	mg			
									+S	-S	ті	7440-28-0		0.00002	mg			
						+C -C	Supplier	Seal ring	+S	-s	Fe	7439-89-6		0.48	mg			
									+S	-S	Co	7440-48-4		0.1524	mg			
						+C -C	В	Nickel (external applic	+S	-S	Nickel	7440-02-0		0.258	mg			
						+C -C	Supplier	Silver solder	+S	-S	Ag	7440-22-4		0.31	mg			
									+S	-S	Cu	7440-50-8		0.0528	mg			
		+M -M	ıc	0.256	mg	+C -C	Supplier	IC	+S	-S	Si	7440-21-3		0.2538	mg			
									+S	-S	В	7440-42-8		0.00001	mg			

														_		7					
	+S	-S	Р				772	3-14-0		0.00003	mg										
	+S	-S	Al				742	9-90-5		0.00094	094 mg										
	+S	-s	Cu				744	0-50-8		0.00001	mg										
	+S	-S	w				744	0-33-7		0.00029	mg										
	+S	-s	Ti	AI Cu W Ti 0.0027 mg 0.358 mg		7		0-32-6		0.00059	mg										
		1	•			+C	-C	В	Arsenio	c/Arsenic	Comp	+S	-S	Arseni	С		7440-38-2	0.00001	mg		
+M -M	IC Bump	)	0.00	27	mg	+C	-c	Supplier	IC Bun	np		+s	-s	Au			7440-57-5	0.00264	mg		
									•		,	+S	-S	Са			7440-70-2	0.00001	mg		
										+S	-S	Mg			7439-95-4	0.00001	mg				
											+S	-S	Cu			7440-50-8	0.00001	mg			
												+S	-S	Ag			7440-22-4	0.00001	mg		
												+S	-S	Fe			7439-89-6	0.00001	mg		
+M -M	Ероху R	lesi	n 0.35	8	mg	+C	-c	Supplier	Ероху	Resin		+S	-S	SiO2			7631-86-9	0.1912	mg		
			•									+S	-s	Propri	etary		proprietary	0.1667	mg		
+M -M	conduct	ive	Ad <b>a</b> 0.03	9	mg	+C	-C	Supplier	Condu	ctive Adl	nesi <b>m</b>	+S	-S	Ag			7440-22-4	0.0294	mg		
			•									+S	-S	Si			7440-21-3	0.0096	mg		
+M -M	Blank		0.17	17	mg	+C	-c	Supplier	Blank			+S	-s	SiO2			7631-86-9	0.1717	mg		
+M -M	Evapora	tior	0.02	29	mg	+C	-c	Supplier	Evapoi	ration		+S	-S	Cr			7440-47-3	0.0223	mg		
								•		ľ	+S	-s	Au			7440-57-5	0.0006	mg			